

INDUSTRIAL PRODUCT DATASHEET

RS-232 To TTL Conveter (MAX3232IDR)

RS-232 To TTL Conveter (MAX3232IDR): stable, high-speed converter with ESD protection and dual drivers/receivers for hand-held equipment and palmtop PCs.

SKU


103990363

UPDATED


2026-07-30 08:02:26

PRICE

\$3.90(Excl. VAT)



Overview






The RS-232 To TTL Converter (MAX3232IDR) is an easy-to-use, stable, high-speed converter with ± 15 -kV ESD protection, low power consumption, and two drivers and two receivers. It features a DB9 female header and is designed for hand-held equipment and palmtop PCs.

Key Features

- Easy to use
- Stable, high speed
- High cost performance
- ± 15 -kV ESD Protection
- Low power consumption
- Two Drivers and Two Receivers
- DB9 Female Header

Product Gallery



Applications

- Hand-Held Equipment
- Palmtop PCs

Compliance & Logistics



HSCODE	8517629990
USHSCODE	8517620020
UPC	841454121985
EUHSCODE	8517180000
COO	CHINA

Resource Links

- <https://www.seeedstudio.com/RS-232-To-TTL-Conveter-MAX3232IDR-p-2851.html>
- [RS-232 To TTL Conveter \(MAX3232IDR\) Eagle Files](#)
- [MAX3232 Datasheet](#)
- [PDF Format Wiki](#)

Seeed Technology Co.,Ltd.
9F, Building G3, International E City,
Zhongshanyuan Road, Nanshan, Shenzhen, China

Tel: +86 0755-80695676
Web: www.seeed.cc
Shop: www.seeedstudio.com